


TRA-TYPE

LIFTING HEAVY
CARGO FOR
WORLDWIDE
TRANSPORT



BIG LIFT

HAPPY S-TYPE
HAPPY BUCCANEER
HAPPY D-TYPE
HAPPY R-TYPE
TRA-TYPE



Due to their size the four Tra-type vessels excel in flexibility. With their shallow drafts and the smaller main dimensions, the vessels are able to enter ports and complete projects in the most remote places. This is further supported by the vessels being fitted for the Great Lakes.

Despite their small size, their crane capacity is significant. The two 275 mt Huisman cranes, 500 mt combined, one located on each side, offer an impressive lifting capacity making the vessels very attractive for the smaller heavy lift and project cargoes.

With BigLift's experienced crew and office staff your cargo is being handled with the utmost care.

TRA-TYPE

TRAMPER, TRACER, TRANSPORTER, TRAVELLER

HATCH OPENINGS AND ALLOWABLE LOADS

HATCH OPENINGS

weather deck	64.4 x 15.3 m
tween deck	64.4 x 15.3 m

ALLOWABLE LOADS

weather deck hatch covers	3.0 t/m ²
tween deck hatch covers	3.0 t/m ²
tank top	15.0 t/m ²

FLOOR SPACE

weather deck	1,330 m ²
tween deck	974 m ²
tank top	850 m ²

CRANES

2 x 275 mt SWL

COMBINABLE
500 mt

TROLLEY
6 mt SWL

PRINCIPAL DIMENSIONS


Length overall	100.50 m
Length p.p.	96.50 m
Breadth moulded	20.40 m
Summer draft	8.20 m

REGISTRATION

The Netherlands

CLASS

BV 1 3/3 E, Ice Class 1C, strengthened for heavy cargoes E0, W1-0C, Grain, LCS (SIG), DG-P, DG-B, Great lakes fitted



MAIN ENGINE

Wärtsilä	7800 kW
Bowthruster	500 kW
Speed	16.0 kn


CAPACITY

Grain	10,530 m ³
Bale	9,720 m ³


DEADWEIGHT

At Summer (Sea water) draft
8,600 mton inc. tween deck
hatch covers, pillars


TRA-TYPE




SIDE VIEW



WEATHERDECK




TWEENDECK



TANKTOP

CROSS SECTION



TRA-TYPE

CLASS		BV 1 3/3 E General Cargo Carrier, Container Carrier Ice Class IC, E0, W1-0C, Grain, LCS (SIG), DG-P, DG-B, Great lakes fitted.			
Principal Dimensions	Length overall	100.50	m		
	Length p.p.	95.00	m		
	Breadth moulded	20.40	m		
	Summer draft	8.20	m		
Deadweight	Summer (sea water)	8,600	mton	at T=8.2 m	
Tonnage		International	Panama		
	GT	6,714	23,362 cbm		
	NT	2,893	pc/ums 6,108		
Capacity	Grain	10,530	m ³	tween deck not installed	
	Bale	9,720	m ³	tween deck not installed	
Floor space	Weather deck	1,330	m ²		
	Tween deck	974	m ²		
	Tank top	850	m ²		
Hatch openings	Weather deck	64.4 x 15.3	m		
	Tween deck	64.4 x 15.3	m		
Heights in hold	most tween deck covers adjustable in height.				
	Total height	11.75	m	tween deck not installed	
Allowable loads	Weather deck hatch covers	3.0	t/m ²		
	Tween deck hatch covers	3.0	t/m ²		
	Tank top	15.0	t/m ²		
Cranes	Combinable	to 500	mt	SWL	
	Forward crane on starboard side	275	mt	SWL	
	Aft crane on port side	275	mt	SWL	
	both fitted with auxiliary hoist				
	auxiliary hoist	6.0	mt	SWL	
Main engine	Wärtsilä 8L46B	7800	kW		
	Bowthruster	500	kW		
	Service speed	16.0	kn		
Container Capacity		621	TEU		

TRA-TYPES

Tramper	Amsterdam	The Netherlands	1999
Tracer	Amsterdam	The Netherlands	1999
Transporter	Amsterdam	The Netherlands	1999
Traveller	Amsterdam	The Netherlands	2000

These particulars are believed to be correct, but without guarantee, and they must not be used as basis for Charter Parties or contracts without Owners' explicit written authority.



Radarweg 36
1042 AA Amsterdam

P.O. Box 2599
1000 CN Amsterdam

t. +31 (0) 20 - 448 83 00
f. +31 (0) 20 - 448 83 33

info@bigliftshipping.com
www.bigliftshipping.com